



Bmpr2-Flox Genotyping Protocol



Common Name	Bmpr2-Flox	Cat. NO.	NM-CKO-2100061
Strain of Origin	C57BL/6J	Version	V1

Genotyping strategy



Primers

Primer	Sequence (5' →3')	Primer type
P1	ACCTCAAAGCTTCCCCACAG	Forward
P2	GACCCAAGTCCTGTTCCCAG	Reverse

Expected results

Results	DL2000 bp 2000 1000 750 500 250 100 1.7% agarose M wt He 332bp 273bp
Genotype	Wild type: P1P2 =273 bp; Heterozygote: P1P2 =273 bp and 332 bp; Homozygote: P1P2 =332 bp

Reaction &Cycling

PCR Reaction System	Reaction Component			Volume (μl)
	ddH2O			8.0
	2×Taq Plus Master Mix			10.0
	P1(10 pmol/μl)			0.5
	P2(10 pmol/μl)			0.5
	Genomic DNA			1.0
	Total			20
	2×Taq Plus Master Mix from Vazyme(Code Number: P222-1)			
Cycling	Step	Temp	Time	Note

Reaction	1	95°C	5 min	
	2	95°C	20 sec	
	3	60°C	20 sec	
	4	72°C	20 sec	35 repeats to 2
	5	72°C	5 min	
	6	12°C	Hold	