


Acp5-IRES-Cre Genotyping Protocol




Common Name	<i>Acp5-IRES-Cre</i>	Cat. NO.	NM-KI-240649
Strain of Origin	C57BL/6J	Version	V1

Genotyping strategy

Wild type allele




Targeted allele



Primers

Primer	Sequence (5'→3')	Primer type
P1	TGGATCTGAGGACTCCCTGG	Forward
P2	CCTAAAAGGGGTGAGCCTGG	Reverse
P4	CACATTGCCAAAAGACGGCA	Reverse

Expected results

Results	P1+P2+P4 HE HE WT H₂O M  338bp 243bp DL2000 bp 2000 1000 750 500 250 100 1.7% agarose
Genotype	Wild type: P1P2 =338 bp Heterozygote: P1P2 =338 bp; P1P4 =243 bp Homozygote: P1P4 =243 bp

Reaction &Cycling

PCR Reaction System	Reaction Component	Volume (μl)
	ddH ₂ O	7.5
	2×Rapid Taq Master Mix	10.0
	P1(10 pmol/μl)	0.5
	P2(10 pmol/μl)	0.5
	P4(10 pmol/μl)	0.5
	Genomic DNA	1.0
	Total	20
2×Rapid Taq Master Mix from Vazyme(Code Number: P222-01)		

Cycling Reaction	Step	Temp	Time	Note
	1	95°C	5 min	
	2	95°C	20 sec	
	3	60°C	20 sec	
	4	72°C	20 sec	35 repeats to 2
	5	72°C	5 min	
	6	12°C	Hold	